




大连奇耘电子有限公司 DALIAN QIYUN DISPLAY CO ., LTD.			确认此型号所有图纸;签字确认:				
DESIGNED BY: LJF	QYT12429S(T)P10V3T	VERSION: 2.0	1. DISPLAY TYPE:	TN/POSITIVE	6. POLARIZER TYPE:	TRANSFLECTIVE	VERSION / REVISION RECORD
		NO. 1 OF 4	2. OPERATING VOLTAGE:	3.0V	7. VIEWING DIRECTION:	12:00	1.0 初版
CHECKED BY: TANG		UNIT: mm	3. DRIVE MODE:	1/4DUTY,1/3BIAS	8. CONNECTOR:	PIN	2.0 反射改半透
		DATE: 2019-04-10	4. OPERATING TEMP:	-40°C~70°C	9. CUSTOMER NO:		3.0
TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2			5. STORAGE TEMP:	-45°C~80°C	10. LCM NO:		4.0

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
COM0	COM0				1D	P1	2D	P2	3D	P3	4D	℃	5D	S1	6D	P4	7D	%	S6	S5
COM1		COM1			1E	1C	2E	2C	3E	3C	4E	4C	5E	5C	6E	6C	7E	7C	S9	S4
COM2			COM2		1G	1B	2G	2B	3G	3B	4G	4B	5G	5B	6G	6B	7G	7B	S8	S3
COM3				COM3	1F	1A	2F	2A	3F	3A	4F	4A	5F	5A	6F	6A	7F	7A	S7	S2







大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO ., LTD.

DESIGNED BY: LJF	QYT12429S(T)P10V3T	VERSION: 2.0
		NO. 2 OF 4
CHECKED BY: TANG		UNIT: mm
		DATE: 2019-04-10

TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2






SEG

COM

大连奇耘电子有限公司 DALIAN QIYUN DISPLAY CO ., LTD.		
DESIGNED BY: LJF	QYT12429S(T)P10V3T	VERSION: 2.0 NO. 3 OF 4
CHECKED BY: TANG		UNIT: mm DATE: 2019-04-10
TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2		

此页只供走线参考



大连奇耘电子有限公司 DALIAN QIYUN DISPLAY CO ., LTD.		
DESIGNED BY: LJF	QYT12429S(T)P10V3T	VERSION: 2.0 NO. 4 OF 4
CHECKED BY: TANG		UNIT: mm DATE: 2019-04-10
TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2		

显示效果图